

Fig. 3

Connection ID	Signalling Link		Port		Priority	Bandwidth
	in	out	in	out		
I-I	145s	148s	D	F	LOW	5
II-II	146s	147s	D	E	HIGH	8
III-III	146s	147s	D	E	MEDIUM	10
IV-IV	146s	148s	D	F	HIGH	3

Figure 4

Release List
Signalling Link 146s Fails

Connection ID	Priority
II-II	HIGH
IV-IV	HIGH
III-III	MEDIUM

Figure 5

Release List
Signalling Links 147s and 148s Fail

Connection ID	Priority
II-II	HIGH
IV-IV	HIGH
III-III	MEDIUM
I-I	LOW

Figure 6

Release List
NETWORK ENTITY INTERFACE 141 FAILS

Connection ID	Priority
II-II	HIGH
IV-IV	HIGH
III-III	MEDIUM
I-I	LOW

1.75

Figure 8

Release List
Signalling Link 147s Fails

Connection ID	Priority
II-II	HIGH
III-III	MEDIUM

176

Figure 7

Release List
Signalling Link 148s fails after 147s

Connection ID	Priority
IV-IV	HIGH
III-III	MEDIUM
I-I	LOW

178

Figure 9




Figure 10

Connection ID	Bandwidth (Mbits/s)	Priority
C1	0.3	HIGH
C2	1.5	HIGH
C3	0.2	HIGH
C4	0.5	HIGH
C5	0.5	HIGH
C6	0.8	MEDIUM
C7	0.5	MEDIUM
C8	0.1	MEDIUM
C9	0.1	MEDIUM
C10	0.1	MEDIUM
C11	0.1	MEDIUM
C12	0.1	MEDIUM
C13	0.2	LOW
C14	0.3	LOW

Total

5.3

Figure 11

Release List

Connection ID	Bandwidth (Mbits/s)	Priority
C8	0.1	MEDIUM
C9	0.1	MEDIUM
C10	0.1	MEDIUM
C11	0.1	MEDIUM
C12	0.1	MEDIUM
C13	0.2	LOW
C14	0.3	LOW

Total

1.0

Figure 12




Figure 13